Washington Behavioral Risk Factor Surveillance System 2004 Tobacco Survey Results

Pacific County

What is your age?	n =	= 202
18 - 34	20.6%	(± 7.8%)
35 - 54	36.9	(± 7.7)
55 - 74 35 -	28.7	(± 6.7)
75+	13.7	(± 5.5)
Gender	n =	= 202
Male	46.0%	(± 8.2%)
Female	54.0	(± 8.2)
Which one of these groups would you say best represents your race	n =	= 202
White	92.8%	(± 4.5%)
Black or African American	0.7	(± 1.4)
Asian	1.6	(± 2.3)
Native Hawaiian or Other Pacific Islander	0.0	(± 0.0)
American Indian, Alaska Native	2.1	(± 2.3)
Other race	2.8	(± 3.0)
No preferred race	0.0	(± 0.0)
Are you Hispanic or Latino/Latina?	n =	= 202
Yes	4.4%	(± 3.4%)
No	95.6	(± 3.4)
Marital status	n =	= 201
Married	63.0%	(± 7.8%)
Divorced	10.8	(± 4.3)
Widowed	8.6	(± 3.3)
Separated	1.2	(± 1.2)
Never been married	9.3	(± 5.1)
Or a member of an unmarried couple	7.1	(± 5.6)
How many children less than 18 years of age live in your household?	n =	= 202
None	66.1%	(± 8.0%)
1	14.4	(± 6.2)
2	13.6	(± 6.1)
3 or more	5.9	(± 4.2)
What is the highest grade or year of school you completed?	n =	= 202
Some high school or less	11.0%	(± 6.6%)
High school graduate or GED	32.9	(± 7.4)
Some college or technical school	37.4	(± 7.7)
College graduate or more	18.7	(± 6.2)
*Estimates based on sample sizes less than 50 were omitted.		Pacific

Created on 8/29/2005

Page 1 of 10

Are you currently	n :	= 201
Employed for wages Self-employed Out of work Homemaker Student Retired Or unable to work	39.2% 10.3 5.6 4.5 0.9 31.3 8.1	(± 8.1%) (± 4.6) (± 3.6) (± 2.7) (± 1.1) (± 7.2) (± 5.5)
Annual household income from all sources	n:	= 174
Less than \$20,000 \$20,000 to less than \$50,000 \$50,000 or more	13.1% 61.8 25.1	(± 5.2%) (± 8.2) (± 7.3)
Have you smoked at least 100 cigarettes in your entire life?	n :	= 233
Yes No	58.5% 41.5	(± 7.3%) (± 7.3)
Among those that have smoked at least 100 cigarettes in their entire life:		
Do you now smoke cigarettes everyday, some days, or not at all?	n :	= 135
Everyday Some days Not at all	39.6% 10.4 50.1	(± 9.9%) (± 6.2) (± 9.9)
Among current smokers: During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking?	e n	= 65
Yes No	47.9% 52.1	(± 14.8%) (± 14.8)
Current cigarette smoking prevalence:	n :	= 233
(every day or some day smokers among the whole population)	29.2%	(± 7.0%)
Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days?	n :	= 113
Yes No	53.0% 47.0	(± 10.9%) (± 10.9)
Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes?	n	= 55
Less than 30 days 30 days	23.3% 76.7	(± 14.6%) (± 14.6)
Among those that have smoked in the past 30 days: On average, about how many cigarettes per day do you smoke, on the days that you do smoke?	n	= 57
Average:	16.0	(± 2.8)

 $^{\star}\textsc{Estimates}$ based on sample sizes less than 50 were omitted.

Pacific Page 2 of 10

Have you ever tried using smokeless tobacco, like chew, dip or snuff?		n = 199
Yes No	22.7% 77.3	(± 7.5%) (± 7.5)
Among those that have ever tried smokeless tobacco:		
On how many of the past 30 days did you use smokeless tobacco products?		n = 36
None	*	*
Less than 30 days 30 days	*	*
Current smokeless tobacco prevalence:		n = 199
(any use in past 30 days among the whole population)	6.4%	(± 4.8%)
In the past month, have you smoked a cigar, even just a puff?		n = 199
Yes	6.6%	(± 4.5%)
No	93.4	(± 4.5)
Current tobacco use (all types of tobacco)		n = 199
Current daily tobacco user	36.8%	(± 8.2%)
Current non-tobacco user	63.2	(± 8.2)
Among former smokers:		
About how long has it been since you last smoked cigarettes regularly, that is, daily?		n = 56
Within the past month (less than 1 month ago)	0.0%	$(\pm 0.0\%)$
Within the past 3 months (1-3 months ago)	1.3	(± 2.6)
Within the past 6 months (3-6 months ago)	4.3	(± 6.0)
Within the past year (6-12 months ago) Within the past 5 years (1-5 years ago)	6.8 22.2	(± 8.1) (± 13.2)
Within the past 15 years (1-3 years ago) Within the past 15 years (5-15 years ago)	29.2	(± 13.2) (± 13.3)
More than 15 years ago	31.8	(± 14.1)
Never used regularly	4.4	(± 5.1)
Among former smokers:		
When you last smoked cigarettes regularly, on average, how many days per month did you smoke?	1	n = 54
Average:	29.8	(± 4.6)
Among former smokers:		
When you last smoked cigarettes regularly, on average, how many cigarettes did you smoke per day?		n = 54
Average:	23.0	(± 5.6)

Pacific Created on 8/29/2005 Page 3 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among never smokers less than 30 years old: Do you think that you will smoke a cigarette anytime during the next year?		n = 6
	*	*
Definitely yes Probably yes	*	*
Probably no	*	*
Definitely no	*	*
Among never smokers less than 30 years old: If you of your best friends offered you a cigarette, would you smoke it?		n – 6
		n = 6
Definitely yes	*	*
Probably yes	*	*
Probably no	*	*
Definitely no		
Among current tobacco users:		
About how much do you usually spend on tobacco products every week?	1	า = 63
Less than \$25	54.0%	(± 15.3%)
At least \$25 but less than \$55	42.8	,
More than \$55	3.1	(± 4.4)
Among current tobacco users:		
In the past month, did you buy tobacco on a Native American reservation?	1	า = 66
Yes	21.6%	(± 10.4%)
No	78.4	(± 10.4)
Among current tobacco users:		
In the past month, did you buy tobacco from the Internet?	1	า = 68
Yes	0.0%	$(\pm 0.0\%)$
No	100.0	(± 0.0)
Among current tobacco users:		า = 67
During the past month, did you buy tobacco outside the state to save money - not just because you were traveling?	ſ	1 = 07
Yes		(± 12.5%)
No	77.5	(± 12.5)
Among current/former tobacco users:		
People close to me are/were upset by my using tobacco.	n	= 111
Strongly agree	50.0%	(± 11.3%)
Somewhat agree	14.9	$(\pm 11.3\%)$ (± 7.0)
Somewhat disagree	20.2	(± 7.0) (± 9.8)
Strongly disagree	14.9	(± 7.5)
- · · · · · · · · · · · · · · · · · · ·		(= : ••)

Pacific Created on 8/29/2005 Page 4 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among current/former tobacco users: When was the last time a DOCTOR or other healthcare provider advised you to quit, if ever?	n	= 113
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	34.8% 7.4 18.6 39.2	(± 11.0%) (± 6.4) (± 8.5) (± 10.6)
Among current/former tobacco users: When was the last time a DENTIST advised you to quit, if ever?	n	= 112
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	11.4% 1.3 8.4 78.9	(± 9.5%) (± 2.0) (± 5.7) (± 10.4)
Among current/former tobacco users: When was the last time a PHARMACIST advised you to quit, if ever?	n	= 114
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	2.4% 0.6 0.0 97.0	(± 2.9%) (± 1.2) (± 0.0) (± 3.1)
Among those advised to quit:		
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?	n	= 62
Did the health care professional who advised to quit offer any help, or refer you to	24.5% 75.5	(± 11.8%) (± 11.8)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes	24.5% 75.5	(± 11.8%)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes No What type of health coverage do you use to pay for most of your medical care? Is	24.5% 75.5	(± 11.8%) (± 11.8)
Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use? Yes No What type of health coverage do you use to pay for most of your medical care? Is it coverage through Your employer Someone else's employer A plan that you or someone buys on your own Medicare Medicaid or Medical Assistance The military, CHAMPUS, or the VA The Indian Health Service	24.5% 75.5 n 32.8% 10.5 10.3 29.4 12.5 3.4 1.1 0.0	$(\pm 11.8\%) \\ (\pm 11.8)$ $= 164$ $(\pm 8.5\%) \\ (\pm 4.6) \\ (\pm 5.3) \\ (\pm 8.5) \\ (\pm 6.1) \\ (\pm 2.9) \\ (\pm 2.2)$

Pacific Created on 8/29/2005 Page 5 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Among current and recent former smokers: Within the past year, did your employer offer any stop-smoking class or other programs to help employees quit using tobacco? Yes No	*	n = 28 * *
Among current and recent former smokers with health care coverage: Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?		n = 48
Yes No Don't know/Not sure	* *	* * *
Among current and recent former smokers: Have you heard about the Washington State "Quit-Line" - a telephone support service to help people quit using tobacco?		n = 63
Yes No	47.8% 52.2	(± 15.0%) (± 15.0)
Among current and recent former smokers who have heard of the "Quit-Line": Would you ever call a telephone support service for help in quitting tobacco?		n = 61
Definitely Yes Probably Yes Probably No Definitely No	14.2% 23.2 31.3 31.2	(± 12.4)
Among current and recent former smokers who have heard of the "Quit-Line": Have you called the Quit line?		n = 33
Yes No	*	*
Among current tobacco users: Would you like to quit using tobacco?		n = 66
Yes No	66.4% 33.6	(± 13.2%) (± 13.2)
Among current tobacco users who would like to quit: Are you seriously considering quitting tobacco use within the next 6 months?		n = 39
Yes No	*	*
Among current tobacco users considering quitting within 6 months: Are you planning to stop within the next 30 days?		n = 32
Yes No Don't know/Not sure	* *	* * *

*Estimates based on sample sizes less than 50 were omitted.

Pacific Created on 8/29/2005 Page 6 of 10

Are you currently registered to vote?	n = 194	
Yes No	82.2% 17.8	(± 6.7%) (± 6.7)
Which of the following statements best describes the rules about smoking in your home	n = 196	
No one is allowed to smoke anywhere inside your home Smoking is allowed at some places or at some times Smoking is permitted anywhere inside your home	74.8% 12.1 13.1	(± 7.0%) (± 5.0) (± 5.5)
How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?	n = 197	
No current smokers in household 1 2 3 or more	59.5% 21.5 14.1 4.9	(± 8.3%) (± 6.2) (± 6.8) (± 4.9)
On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?	n :	= 193
None Less than 30 30 days	76.7% 7.4 15.9	(± 7.6%) (± 5.4) (± 6.2)
If it were just up to you would you let people amake incide your home?	-	400
If it were just up to you, would you let people smoke inside your home?	n :	= 196
Yes No	16.3% 83.7	= 196 (± 5.4%) (± 5.4)
Yes No Among people who are currently employed for wages:	16.3% 83.7	(± 5.4%)
Yes No	16.3% 83.7	(± 5.4%) (± 5.4)
Yes No Among people who are currently employed for wages: When you are at work, do you spend most of your time in an Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital	16.3% 83.7 n 28.4% 7.2 6.8 9.7 9.4 11.9 7.8 2.9 7.8 8.2	(± 5.4%) (± 5.4) = 92 (± 10.0%) (± 5.4) (± 7.6) (± 8.9) (± 6.3) (± 7.2) (± 7.0) (± 3.0) (± 7.2)

^{*}Estimates based on sample sizes less than 50 were omitted.

Pacific Created on 8/29/2005 Page 7 of 10

Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace Employee lunchrooms or lounges?		n = 79
Yes No	12.8% 87.2	(± 9.9%) (± 9.9)
Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace A different designated indoor smoking area?		n = 83
Yes No	13.1% 86.9	(± 9.9%) (± 9.9)
Among people who are currently employed for wages: In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are at work?		n = 91
None Less than one hour One hour or more	81.7% 13.7 4.5	(± 8.8%) (± 8.0) (± 4.3)
In general, would you say that breathing secondhand smoke is	r	n = 193
Not at all annoying to you A little bit annoying Somewhat annoying Very annoying to you	18.1% 9.9 21.8 50.2	(± 6.3%) (± 4.9) (± 6.6) (± 8.3)
Would you say that breathing secondhand smoke is	r	n = 187
Not at all harmful A little bit harmful Somewhat harmful Very harmful	3.3% 5.8 23.1 67.8	(± 2.6%) (± 3.7) (± 6.8) (± 7.6)
All children should be protected from secondhand smoke.	r	า = 192
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	83.2% 12.2 3.1 1.5	(± 6.0%) (± 5.2) (± 3.2) (± 1.7)
Do you think that smoking should not be allowed at all in restaurants?	r	n = 194
Yes No Don't know/Not sure	75.0% 21.3 3.6	(± 6.6%) (± 6.2) (± 2.6)
Do you think that smoking should not be allowed in bars and lounges?	r	n = 192
Yes No Don't know/Not sure	34.5% 52.2 13.3	(± 7.8%) (± 8.3) (± 5.9)

*Estimates based on sample sizes less than 50 were omitted.

Pacific Created on 8/29/2005 Page 8 of 10

Do you think that smoking should not be allowed in outdoor public areas where children may be present?	n	= 194
Yes	46.3%	(± 8.3%)
No	49.7	(± 8.3)
Don't know/Not sure	4.0	(± 2.5)
Local law enforcement officials should place a high priority on enforcing laws that ban the possession of tobacco products by minors.	n	= 189
·		
Strongly agree	68.2%	(± 7.6%)
Somewhat agree	15.8	(± 6.0)
Somewhat disagree	9.7	(± 4.4)
Strongly disagree	6.4	(± 3.8)
The city or town where you live should establish as many strong rules and laws as possible to protect nonsmokers, including children, from secondhand smoke.	n	= 186
Strongly agree	53.2%	$(\pm 8.4\%)$
Somewhat agree	25.8	(± 7.6)
Somewhat disagree	12.9	(± 5.9)
Strongly disagree	8.1	(± 3.5)
School officials should make sure that all children receive anti-tobacco education.	n	= 195
Strongly agree	85.1%	(± 6.0%)
Somewhat agree	11.3	(± 4.8)
Somewhat disagree	0.4	(± 0.8)
Strongly disagree	3.2	(± 0.0) (± 4.1)
Strongly disagree	5.2	(± 4.1)
Tobacco use by adults should not be allowed on school grounds or at any school events.	n	= 194
Strongly agree	81.4%	(± 6.5%)
Somewhat agree	10.1	(± 4.8)
Somewhat disagree	3.6	(± 2.5)
Strongly disagree	4.9	(± 4.4)
Have you seen or heard about any efforts or activities in your community or in schools to prevent or reduce tobacco use among youth?	n	= 183
Yes	38.2%	(± 8.3%)
No	61.8	(± 8.3)
There are so many things that cause cancer, tobacco use is not going to make any difference.	n	= 187
Strongly agree	9.1%	(± 5.3%)
Somewhat agree	4.9	(± 3.5)
Somewhat disagree	13.1	(± 5.9)
Strongly disagree	72.9	(± 7.7)
	•	(/

Pacific Created on 8/29/2005 Page 9 of 10

^{*}Estimates based on sample sizes less than 50 were omitted.

Would you ever use or wear something that has a tobacco company logo or picture on it?	n	= 191
Yes No	23.0% 77.0	(± 7.5%) (± 7.5)
Do you currently have a piece of clothing, or other item that has a tobacco brand or logo on it?	n	= 194
Yes No	12.2% 87.8	(± 5.5%) (± 5.5)
During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?	n	= 193
Yes No	20.9% 79.1	(± 6.5%) (± 6.5)
During the past year have you been somewhere, such as concert or special event, where tobacco companies were having a promotion - for example, giving away free samples or having a special give-away?	n	= 195
Yes No	5.3% 94.7	(± 3.6%) (± 3.6)
Tobacco companies should have the same rights to advertise their products as other companies.	n	= 185
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	24.1% 29.8 11.1 35.0	(± 7.2%) (± 7.6) (± 5.3) (± 8.0)
Among people with children ages 12 to 17: Have you told your child specifically that you do not want him or her to use tobacco?	n	= 34
Yes No	*	*

Pacific Created on 8/29/2005 Page 10 of 10